

Otoscope



Otoscope is an endoscopic instrument with a built-in optical and illumination system for diagnostic examinations of the auditory canal, tympanic membrane and middle ear

Rating: Not Rated Yet

[Ask a question about this product](#)

Description

Otoscope is an endoscopic instrument with a built-in optical and illumination system for diagnostic examinations of the auditory canal, tympanic membrane and middle ear. There are many modifications of otoscopes - from simple portable models to complex systems with the ability to conduct minimally invasive interventions.

The optics and design of Brightfield otoscopes provide a natural panoramic image of the entire tympanic membrane with high resolution and sharpness.

Features otoscope Brightfield

- The body of the tube and its constituent elements are made of high grade stainless steel
- The endoscope uses elements of optics from a German manufacturer.
- The optical axes are created using the patented lens shaft technology, which ensures the visibility of the entire field of view.
- The cap and sapphire lens are durable and never wear off.
- The valve is made of stainless steel, easy to maintain, protected from damage.
- The connectors are compatible with endoscopic equipment from leading manufacturers, including Storz products.
- Sterilization can take place at low temperatures.

Brightfield Sinuscope Optical Systems

NO.	Field of view	Diameter	Working length
OTOS01	0 degrees	4 mm	50 mm
OTOS02	0 degrees	4 mm	90 mm
OTOS03	0 degrees	4 mm	110 mm
OTOS04	30 degrees	4 mm	90 mm
OTOS05	30 degrees	4 mm	110 mm
OTOS06	70 degrees	4 mm	90 mm
OTOS07	70 degrees	4 mm	110 mm
OTOS08	0 degrees	3 mm	60 mm
OTOS09	0 degrees	3 mm	90 mm
OTOS10	0 degrees	3 mm	110 mm
OTOS11	0 degrees	3 mm	130 mm

Endoscopes: Otoscope

OTOS12	30 degrees	3 mm	90 mm
OTOS13	30 degrees	3 mm	110 mm
OTOS14	30 degrees	3 mm	130 mm
OTOS15	70 degrees	3 mm	110 mm
OTOS16	0 degrees	2.7 mm	90 mm
OTOS17	0 degrees	2.7 mm	110 mm
OTOS18	0 degrees	2.7 mm	50 mm
OTOS19	30 degrees	2.7 mm	90 mm
OTOS20	30 degrees	2.7 mm	110 mm
OTOS21	30 degrees	2.7 mm	50 mm
OTOS22	70 degrees	2.7 mm	90 mm
OTOS23	70 degrees	2.7 mm	110 mm
OTOS24	70 degrees,	2.7 mm	50 mm
OTOS25	0 degrees	5.5 mm	90 mm